OCTOTERRA LINEA FLUTED WOOD PANELS









1

Œ

M


Ш

H

0

-

C




SPECIFICATIONS


PRODUCT SPECIFICATIONS		INSTALLATION & FINISHING
Size	6 x 120" – 149 x 3050 mm OTP50-53 12 x 96"	Panels can be easily cut to length using a table or chop saw
Thickness	All designs .87" = 22mm except OTM40/41 .79" = 20mm	Tongue and groove detail joins panels seamlessly Panels can be fixed using nails or construction adhesive
Core	Pine	
Veneer face	Rift White Oak/Rift walnut Reconstituted veneers	The wood veneer face is unfinished and can be stained and/or clear lacquered



OTP 52 WALNUT OTP 53 WHITE OAK



OTP 50 WALNUT OTP 51 WHITE OAK



SPECIFICATIONS

PRODUCT SPECIFICATIONS		INSTALLATION & FINISHING
Size	6 x 120" – 149 x 3050 mm OTP50-53 12 x 96"	Panels can be easily cut to length using a table or chop saw
Thickness	All designs .87" = 22mm except OTM40/41 .79" = 20mm	Tongue and groove detail joins panels seamlessly Panels can be fixed using nails or construction adhesive
Core	Pine	
Veneer face	Rift White Oak/Rift walnut Reconstituted veneers	The wood veneer face is unfinished and can be stained and/or clear lacquered

